EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	131	evaluat$4 near3 code near3 (segment function) and monitor$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 14:33
S3	10813	"717".clas. and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 14:17
S4	9	S2 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 14:25
S5	4	S2 and "INTERNATIONAL BUSINESS MACHINES CORPORATION".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 14:26
S6	210	(test$3 debug$4 evaluat$4) with "source code" with (segment function) and (monitor$3 trac$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 15:32
S7	84	S3 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 15:02
S8	4	render$3 and temporary and compil$3 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 15:03

S9	2562	717/124-135.ccls. and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 15:02
S10	7	render$3 and temporary and compil$3 and "INTERNATIONAL BUSINESS MACHINES CORPORATION".as. and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 15:32
S13	8	eclipse and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 15:26
S14	7	(test$3 debug$4 evaluat$4) with "source code" and (monitor$3 trac$3) and render$3 and temporary and compil$3 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 15:37
S15	7	((test$3 debug$4 evaluat$4) with ("source code" or code)) and ((monitor$3 trac$3) near2 code) and render$3 and temporary and compil$3 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 16:23
S16	10	machine near3 render$3 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 15:46
S17	8	((test$3 debug$4 evaluat$4) same ("source code" or code)) and ((monitor$3 trac$3) near2 code) and render$3 and temporary and compil$3 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/08 16:23

S18	210	(test$3 debug$4 evaluat$4) with "source code" with (segment function) and (monitor$3 trac$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/09 09:08
S19	165	(test$3 debug$4 evaluat$4) with "source code" with (segment function) and (monitor$3 trac$3) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/09 09:49
S20	1	((test$3 debug$4) with (servlet or EJB)) and (webcontainer EJBcontainer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/09 09:58
S21	5428	(test$3 debug$4) with (servlet or EJB or beans)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/09 09:52
S22	662	(test$3 debug$4) with (servlet or EJB or beans) and (instrument$5 probe hook$3 monitor$3) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/09 10:00
S23	84	((test$3 debug$4) with (servlet or EJB)) and container	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/09 09:58
S24	266	(test$3 debug$4) with (servlet or EJB or beans) and (instrument$5 probe hook$3 monitor$3) and container and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/09 10:02

S25	55	(test$3 debug$4) with (servlet or EJB or beans) and (instrument$5 probe hook$3 monitor$3) and container and compil$3 and (result log) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 08:19
S26	1	(time with probe) and "7171588".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/09 16:25
S27	1	(template with generator) and "20030204784".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 09:42
S28	21	(initiat$3 initial$3) with compil$5 and (resolv$3 sovl$3) near3 error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 09:59
S29	1	((initiat$3 initial$3) same compil$5) and ((resolv$3 sovl$3) near3 compil$5 near3 error) and (output with (result log))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 10:04
S30	1	((initiat$3 initial$3) with (source temp template)) and compil$5 and ((resolv$3 sovl$3) near3 compil$5 near3 error) and (output with (result log))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 10:05
S31	1	((initiat$3 initial$3) same (source temp template)) and compil$5 and ((resolv$3 sovl$3) with compil$5 with error) and (output with (result log))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 10:12

S32	21609	((initiat$3 initial$3) same (source temp template)) and compil$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:13
S33	10147	((initiat$3 initial$3) with (source temp template)) and compil$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:14
S34	1387	(initiat$3 initial$3) near3 compil$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:14
S35	765	(initiat$3 initial$3) near3 compil$5 and error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:15
S36	687	(initiat$3 initial$3) near3 compil$5 and error and (output display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:15
S37	284	(initiat$3 initial$3) near3 compil$5 and error and (output display) and (resolv$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:18
S38	240	(initiat$3 initial$3) near3 compil$5 and error and (output display) and (resolv$3) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 16:04

S39	59	(initiat$3 initial$3) near3 compil$5 and (compil$5 near5 error) and (output display) and (resolv$3) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:50
S40	14	(initiat$3) near3 compil$5 and (compil$5 near5 error) and (output display) and (resolv$3) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:02
S41	22	(IDE or "integrated development environment") and internationalization and language and ("plug in" or "plug-in")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:52
S42	4	((IDE or "integrated development environment") with ("programming language")) with ("plug in" or "plug-in")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:53
S43	394	(initiat$3 initial$3) and (compil$5 near3 error) and (output display) and (resolv$3) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:03
S44	54	((initiat$3 initial$3) near3 compil$5)and (compil$5 near3 error) and (output display) and (resolv$3) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:11
S45	1	(code with (pars$3 near2 string)) and (code with (binary near2 shifting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:13

S46	165	(code with (pars$3 near2 string))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 15:13
S47	139	(code with (pars$3 near2 string)) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 15:24
S48	0	((test near3 case) with (binary near2 shift$3)) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 15:25
S49	2	((test near3 case) same (binary near2 shift$3)) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 15:26
S50	75	((test near3 case) and (binary near2 shift$3)) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 15:30
S51	1115	(code with (binary near2 shift$3)) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 15:32
S52	4	(code with (binary near2 shift$3)) and API and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 15:31

S53	282	(code with (binary near2 shift$3)) and test$3 and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:39
S54	65	(code with (binary near shift$3)) and test$3 and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:40
S55	1924	(code with (API)) and test$3 and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:41
S56	23361	("code segment "with (API)) and test$3 and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:42
S57	20	("code segment " with (API)) and test$3 and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:45
S58	143	(code with (API) with test$3) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 15:46
S59	3	((initialize initiate initiating) near3 compil$5) and (compil$5 with error with resolv$3) and (output result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 16:33

S60	166	code with "binary shift"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 16:27
S61	345	((initialize initiate initiating) near3 compil$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 16:34
S62	193	((initialize initiate initiating) near3 compil$5) and (test$3 debug$4) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 16:36
S63	2	((initialize initiate initiating) near3 compil$5) and (compil$5 with error with resolv$3) and (test$3 debug$4) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/10 16:39